

L Number	Hits	Search Text	DB	Time stamp
1	8828	expert and database and control	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:13
2	5987	(expert and database and control) and collect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:14
3	4233	(expert and database and control) and configure\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:14
4	6278	(expert and database and control) and analy\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:14
5	8080	(expert and database and control) and result\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:15
6	6090	(expert and database and control) and format	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:15
7	1435	(expert and database and control) and enterprise	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:16
8	8080	(expert and database and control) and result\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:16
9	4411	(expert and database and control) and report	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:16
10	5156	(expert and database and control) and report\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:16
11	5996	result\$1 and analy\$3 and (expert and database and control)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:17
12	4583	(result\$1 and analy\$3 and (expert and database and control)) and collect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:18

13	3351	report\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and collect\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:20
14	4206	(result\$1 and analy\$3 and (expert and database and control)) and format	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:20
15	3394	collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:21
16	2635	(collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:22
17	2029	configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:23
18	1924	(configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:24
19	780	repeat and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:25
20	1682	automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:26
21	1315	(automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and plan\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:26
22	1422	(automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and action	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:27
23	1320	(automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and (platform\$1 or node\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:27
24	1651	(automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:28

25	1286	issue\$1 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:28
26	1508	identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:28
27	1438	(identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)) and component	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:28
28	1438	(identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)) and component\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:29
29	572	layout and ((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)) and component\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:30
30	534	(layout and ((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)) and component\$1)) and action	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:30
31	1257	((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)) and component\$1) and action	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:31
32	1067	(platform\$1 or node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)) and component\$1) and action)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:32
33	499	((platform\$1 or node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)) and component\$1) and action)) and layout	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:33
34	463	plan\$4 and (((platform\$1 or node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)) and component\$1) and action)) and layout)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:33
35	885	plan\$4 and ((platform\$1 or node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)) and component\$1) and action))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:34
36	419	(plan\$4 and ((platform\$1 or node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)) and component\$1) and action))) and enterprise	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:34

37	797	((plan\$4 and ((platform\$1 or node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control))) and format))) and report\$3)) and (standard\$5 or variable)))) and field))) and component\$1) and action))) and issue\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:35
38	463	((plan\$4 and ((platform\$1 or node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control))) and format))) and report\$3)) and (standard\$5 or variable)))) and field))) and component\$1) and action))) and layout	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:35
39	434	layout and ((plan\$4 and ((platform\$1 or node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control))) and format))) and report\$3)) and (standard\$5 or variable)))) and field))) and component\$1) and action))) and issue\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:37
40	434	(layout and ((plan\$4 and ((platform\$1 or node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control))) and format))) and report\$3)) and (standard\$5 or variable)))) and field))) and component\$1) and action))) and issue\$1)) and issue\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:36
41	247	enterprise and ((layout and ((plan\$4 and ((platform\$1 or node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control))) and format))) and report\$3)) and (standard\$5 or variable)))) and field))) and component\$1) and action))) and issue\$1)) and issue\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:36
42	434	layout\$1 and ((plan\$4 and ((platform\$1 or node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control))) and format))) and report\$3)) and (standard\$5 or variable)))) and field))) and component\$1) and action))) and issue\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:38
43	70	(enterprise and ((layout and ((plan\$4 and ((platform\$1 or node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control))) and format))) and report\$3)) and (standard\$5 or variable)))) and field))) and component\$1) and action))) and issue\$1)) and issue\$1)) and repeat	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:38
44	185	(enterprise and ((layout and ((plan\$4 and ((platform\$1 or node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control))) and format))) and report\$3)) and (standard\$5 or variable)))) and field))) and component\$1) and action))) and issue\$1)) and issue\$1)) and assembly	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:39
45	70	(enterprise and ((layout and ((plan\$4 and ((platform\$1 or node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control))) and format))) and report\$3)) and (standard\$5 or variable)))) and field))) and component\$1) and action))) and issue\$1)) and issue\$1)) and repeat	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:39